## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Kingfisher International Products B.V.

**Supplier's address:** Product quality, Kingfisher International Products B.V., Rapenburgerstraat 175E, 1011 VM Amsterdam, The Netherlands

## Model identifier: 3663602668626

## Type of light source:

Lighting technology used:	HL	Non-directional or directional:	NDLS			
Light source cap-type	G4					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

Parameter	Value		Parameter	Value		
General product parameters:						
Energy consumption in mode (kWh/1000 h), rou up to the nearest integer		25	Energy efficiency class	G		
Useful luminous flux ( indicating if it refers to the in a sphere (360°), in a cone (120°) or in a narrow (90°)	e flux Sph wide	500 in ere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 050		
On-mode power expressed in W	(P <sub>on</sub> ),	25,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked standby power for CLS, expressed in W rounded to the second dec	and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	98		
Outer Height		31	Spectral power	See image		
dimensions Width		8	distribution in the	in last page		

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	8	range 250 nm to 800 nm, at full-load	
Claim of equiva	lent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,430

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;

