

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier** : Glade® Aerosol - Relaxing Zen™  
UFI: V0R3-E3ND-D006-4TKG
  
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
  - Use of the Substance/Mixture** : Air care products
  
  - Uses advised against** : None known.
  
- 1.3 Details of the supplier of the safety data sheet** : SC Johnson Ltd.  
Frimley Green  
Camberley  
  
GU16 7AJ
  
- Telephone** : +441276852000
  
- E-mail address** : ask.uk@scj.com
  
- 1.4 Emergency telephone number** : Consumer Care Center:  
UK - 0800 353 353  
Ireland- 1800 409 176  
  
Poison Centre:  
Ireland - (01)809 2166  
Available 8.00 a.m. to 10.00 p.m. 7 days a week

---

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.

**2.2 Label elements**

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

**Hazard symbols**



**Signal word**

Warning

**Hazard statements**

- (H223) Flammable aerosol.
- (H229) Pressurised container: May burst if heated.

**Precautionary statements**

- (P102) Keep out of reach of children.
- (P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
- (P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- (P211) Do not spray on an open flame or other ignition source.
- (P251) Do not pierce or burn, even after use.

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002**Additional Labelling**

Use only in well-ventilated areas.

Store in a cool, dry place.

People suffering from perfume sensitivity should be cautious when using this product.

Air fresheners do not replace good hygiene practices.

**2.3 Other hazards** : Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1 270-325-2	01-2119983287-23	Skin corrosion Category 1 H314 Serious eye damage Category 1 H318 Long-term (chronic)	>= 0.00 - < 0.10

**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
 Revision Date 15.03.2022

Print Date 13.04.2022  
 Specification Number: 350000034931  
 SITE FORM Number:  
 30000000000000023482.002

			aquatic hazard Category 1 H410 Short-term (acute) aquatic hazard Category 1 H400 Acute toxicity Category 4 H302 Acute toxicity Category 3 H311 Acute toxicity Category 3 H331 M-Factor Acute - 10 M-Factor Chronic - 1	
--	--	--	--	--

WEL substance

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

butane	106-97-8 203-448-7	01-2119474691-32	Flammable gases Category 1 H220 Gases under pressure  H280	>= 5.00 - < 10.00
2-methylbutane	78-78-4 201-142-8	01-2119475602-38	Flammable liquids Category 1 H224 Specific target organ toxicity - single exposure  Category 3 H336 Aspiration hazard  Category 1 H304 Long-term (chronic) aquatic hazard  Category 2 H411	>= 0.00 - < 0.10
propane-1,2-diol	57-55-6	01-2119456809-23		>= 0.00 - <

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

	200-338-0			0.10
1,3-butadiene	106-99-0 203-450-8	01-2119449808-24	Flammable gases Category 1 H220 Gases under pressure  H280 Germ cell mutagenicity Category 1B H340 Carcinogenicity Category 1A H350	>= 0.00 - < 0.10

**Additional Information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

Inhalation : Move to fresh air.  
If breathing is affected, get medical attention.

**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

- Skin contact : Rinse with plenty of water.  
Get medical attention if irritation develops and persists.
- Eye contact : Rinse with plenty of water.  
Get medical attention if irritation develops and persists.
- Ingestion : If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

- Eyes : May irritate eyes.  
No adverse effects expected when used as directed.
- Skin effect : May cause skin irritation.  
No adverse effects expected when used as directed.
- Inhalation : Intentional misuse by deliberately concentrating and inhaling contents can  
be harmful or fatal.  
No adverse effects expected when used as directed.
- Ingestion : May cause abdominal discomfort.  
No adverse effects expected when used as directed.

**4.3 Indication of any immediate medical attention and special treatment needed**

See Description of first aid measures unless otherwise stated.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

- Suitable : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable : High volume water jet
- 5.2 Special hazards arising from the substance or mixture** : Heating may cause an explosion.  
In case of fire and/or explosion do not breathe fumes.  
Exposure to decomposition products may be a hazard to health.
- 5.3 Advice for firefighters** : In the event of fire, wear self-contained breathing apparatus.  
Wear suitable protective clothing and gloves.  
Refer to current EN or National standard as appropriate.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

- 6.1 Personal precautions, protective equipment and emergency procedures** : Use personal protective equipment.  
Remove all sources of ignition.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- 6.2 Environmental precautions** : Outside of normal use, avoid release to the environment.  
Prevent large amounts of product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
Use appropriate containment to avoid environmental contamination.
- 6.3 Methods and materials for containment and cleaning up** : If damage occurs to aerosol can:  
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean residue from spill site.  
Dike large spills.

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

Use only non-sparking equipment.

**6.4 Reference to other sections** : For personal protection see section 8.  
For disposal considerations see section 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling** : For personal protection see section 8.  
Do not breathe vapours or spray mist.  
Do not use in areas without adequate ventilation.  
Do not puncture.  
Use explosion-proof equipment.  
Keep away from sources of ignition - No smoking.  
Do not spray on a naked flame or any incandescent material.  
Take measures to prevent the build up of electrostatic charge.

**7.2 Conditions for safe storage, including any incompatibilities** : No smoking.  
Store in cool place.  
Do not freeze.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.  
Keep out of the reach of children.  
No decomposition if stored and applied as directed.

**7.3 Specific end use(s)** : Consumer uses: Private households (= general public = consumers)  
Air care products

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Occupational Exposure Limit Values**

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
------------	---------	-------	-----	------------------	------

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

butane	106-97-8	1,810 mg/m3	750 ppm		UK_WELSTEL
		1,450 mg/m3	600 ppm		UK_WELTWAS
2-methylbutane	78-78-4	3,000 mg/m3	1,000 ppm		EUOEL_TWAS
		1,800 mg/m3	600 ppm		UK_WELTWAS
		5,400 mg/m3	1,800 ppm		UK_WELSTEL
propane-1,2-diol	57-55-6	1,422 mg/m3	450 ppm	total particulate and vapour	UK_WELSTEL
		30 mg/m3		particulate	UK_WELSTEL
		474 mg/m3	150 ppm	total particulates and vapour	UK_WELTWAS
		10 mg/m3		particulate	UK_WELTWAS
1,3-butadiene	106-99-0	6.6 mg/m3	3 ppm		UK_WELSTEL
		2.2 mg/m3	1 ppm		UK_WELTWAS

Refer to current EN or National standard as appropriate.

**8.2 Exposure controls**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : Wear suitable gloves.  
Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.  
The selected protective gloves have to satisfy the specifications of Regulation

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

(EU) 2016/425 and the standard EN 374 derived from it.  
Before removing gloves clean them with soap and water.

- Eye/face protection : No special requirements.
- Skin and body protection : Wash contaminated clothing before re-use.
- Other information : Wash hands before breaks and at the end of workday.
- Environmental Exposure Controls : Refer to section 6.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

- Appearance : aerosol
- Colour : colourless
- Odour : Marine/Ozone
- Odour Threshold : Test not applicable for this product type
- pH : 7
- Melting point/freezing point : Test not applicable for this product type
- Initial boiling point and boiling range : Test not applicable for this product type
- Flash point : 79 °C  
Method: Tag Closed Cup (TCC)  
liquid  
-7 °C

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

Method: Tag Closed Cup (TCC)  
Propellant

- Evaporation rate : Test not applicable for this product type
- Flammability (solid, gas) : Sustains combustion
- Upper/lower flammability or explosive limits : Test not applicable for this product type
- Vapour pressure : Test not applicable for this product type
- Vapour density : Test not applicable for this product type
- Relative density : 0.86 g/cm<sup>3</sup> at 20 °C estimated
  
- Solubility(ies) : partly miscible
- Partition coefficient: n-octanol/water : Test not applicable for this product type
- Auto-ignition temperature : not auto-flammable
- Decomposition temperature : Test not applicable for this product type
- Viscosity, dynamic : Test not applicable for this product type
- Viscosity, kinematic : Test not applicable for this product type
- Explosive properties : Test not applicable for this product type
- Oxidizing properties : Test not applicable for this product type

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002**9.2 Other information**

Other information : None identified :

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity** : No dangerous reaction known under conditions of normal use.**10.2 Chemical stability** : Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** : None known.**10.4 Conditions to avoid** : Heat, flames and sparks.**10.5 Incompatible materials** : None known.**10.6 Hazardous decomposition products** : No decomposition if stored and applied as directed.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity**

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002**Acute inhalation toxicity**

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and mist) Calculated		> 5 mg/l	

**Acute dermal toxicity**

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

**Acute oral toxicity**

Name	Method	Species	Dose
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	LD50	Rat	426 mg/kg

**Acute inhalation toxicity**

Name	Method	Species	Dose	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	No data available			

**Acute dermal toxicity**

Name	Method	Species	Dose
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	LD50	Rat	930 mg/kg

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

- Skin corrosion/irritation : Based on available data, the classification criteria are not met.
- Serious eye damage/eye irritation : Based on available data, the classification criteria are not met.
- Skin sensitisation : Based on available data, the classification criteria are not met.
- Germ cell mutagenicity : Based on available data, the classification criteria are not met.
  
- Carcinogenicity : Based on available data, the classification criteria are not met.
- Toxicity for reproduction : Based on available data, the classification criteria are not met.
- STOT - single exposure : Based on available data, the classification criteria are not met.
- STOT - repeated exposure : Based on available data, the classification criteria are not met.
- Aspiration hazard : Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**12.1 Toxicity**

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-	LC50 Measured OECD Test Guideline	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

alkyldimethyl, chlorides	203 NOEC	Pimephales promelas (fathead minnow)	0.032 mg/l	34 d
butane	LC50 QSAR	Fish	24.11 mg/l	96 h
2-methylbutane	LC50 NOELR QSAR	Oncorhynchus mykiss (rainbow trout) Fish	4.26 mg/l 7.6 mg/l	96 h 21 d
propane-1,2-diol	LC50 static test Measured Chronic Toxicity Value QSAR	Oncorhynchus mykiss (rainbow trout) Fish	40,613 mg/l 2,500 mg/l	96 h 30 d
1,3-butadiene	LC50 QSAR	Fish	43 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	EC50	Daphnia (water flea)	0.012 mg/l	48 h

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

	NOEC	Daphnia magna	0.0042 mg/l	21 d
butane	EC50 QSAR	Daphnid	14.22 mg/l	48 h
2-methylbutane	EC50 Measured	Daphnia magna (Water flea)	2.3 mg/l	48 h
	NOELR QSAR	Daphnia magna	13.29 mg/l	21 d
propane-1,2-diol	EC50 static test Measured	Ceriodaphnia dubia	18,340 mg/l	48 h
	NOEC semi-static test Measured	Ceriodaphnia sp.	13,020 mg/l	7 d
1,3-butadiene	EC50 QSAR	Daphnia (water flea)	33 mg/l	48 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	EC50	Pseudokirchneriella subcapitata (green algae)	0.049 mg/l	72 h
butane	EC50 QSAR	Green algae	7.71 mg/l	96 h
2-methylbutane	EC50 QSAR	Scenedesmus capricornutum (fresh water algae)	10.7 mg/l	72 h
propane-1,2-diol	EC50 static test	Scenedesmus	19,000 mg/l	96 h

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

	Measured	capricornutum (fresh water algae)		
1,3-butadiene	EC50 QSAR	Algae	11 mg/l	96 h

**12.2 Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	95.5 %	28 d	Readily biodegradable.
butane	70 %	< 10 d	Readily biodegradable.
2-methylbutane	71.43 %	28 d	Readily biodegradable.
propane-1,2-diol	81.7 % Measured	28 d	Readily biodegradable.
1,3-butadiene	No data available		

**12.3 Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	79 Measured	3.91
butane	No data available	2.89
2-methylbutane	171 Read-across (Analogy)	4.9 Measured

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

propane-1,2-diol	0.09	-1.07
1,3-butadiene	13 - 19.1	1.85

**12.4 Mobility in soil**

Component	End point	Value
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Koc	1640329 Measured
butane	No data available	
2-methylbutane	log Koc	2.9 Read-across (Analogy)
propane-1,2-diol	Koc	2.9 Measured
1,3-butadiene	No data available	

**12.5 Results of PBT and vPvB assessment**

Component	Results
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Not fulfilling PBT and vPvB criteria
butane	Not fulfilling PBT and vPvB criteria
2-methylbutane	Not fulfilling PBT and vPvB criteria
propane-1,2-diol	Not fulfilling PBT and vPvB criteria
1,3-butadiene	Not fulfilling PBT and vPvB criteria



**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.
--	----------------------------------	----------------------------------	----------------------------------

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- : This safety datasheet complies with the requirements of:
  - Regulation (EC) No. 1907/2006.
  - Regulation (EC) No. 1272/2008 (CLP) as amended (not applicable to cosmetics)
  - Regulation (EC) No. 528/2012 as amended (applicable to biocidal products)
  - Directive (EEC) No. 75/324 as amended (applicable to aerosols)
  - Regulation (EC) No. 1223/2009 amended (applicable to cosmetic products)
  - Regulation (EC) No. 684/2001 The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No.648/2004 for detergents (applicable to detergents).
  - Directive (EC) No. 2001/95/EC - General Product Safety Directive
  - European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
  - Directive 2012/18/EU Seveso
  - Regulation 850/2004 on persistent organic pollutants and amending Directive 79/117/EEC

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0  
Revision Date 15.03.2022

Print Date 13.04.2022  
Specification Number: 350000034931  
SITE FORM Number:  
30000000000000023482.002

SZW list of carcinogenic, mutagenic and reproductively toxic substances

**15.2 Chemical safety assessment** : Not required for consumer products.

**SECTION 16: OTHER INFORMATION**

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

**Key abbreviations or acronyms used**

- EC - European Community
- EEC – European Economic Community
- CLP – Classification Labelling & Packaging
- EN – European Standard or European Norm
- PBT – Persistent, Bioaccumulative & Toxic
- vPvB – very persistent, very bioaccumulative
- UN – United Nations

**Evaluation methods**

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

**Full text of H-Statements**

H220	Extremely flammable gas.
------	--------------------------

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)

**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

H224	Extremely flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material

**SAFETY DATA SHEET**

(according to Regulation (EC) No. 2015/830)



**Glade® Aerosol - Relaxing Zen™**

Version 2.0

Revision Date 15.03.2022

Print Date 13.04.2022

Specification Number: 350000034931

SITE FORM Number:  
30000000000000023482.002

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.