

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Kingfisher Int. Prod. B.V.

**Supplier's address:** Marcus Muktarsingh, Rapenburgerstaat 175E, 1011VM Netherlands Amsterdam, NL

**Model identifier:** 5063022074447

## Type of light source:

|   |                         |                                 |      |
|---|-------------------------|---------------------------------|------|
| Lighting technology used:                           | LED                     | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | GY6.35,12Vac/dc 50/60Hz |                                 |      |
| Mains or non-mains:                                 | NMLS                    | Connected light source (CLS):   | No   |
| Colour-tuneable light source:                       | No                      | Envelope:                       | -    |
| High luminance light source:                        | No                      |                                 |      |
| Anti-glare shield:                                  | No                      | Dimmable:                       | Yes  |

## Product parameters

| Parameter | Value | Parameter | Value |
|-----------|-------|-----------|-------|
|-----------|-------|-----------|-------|


### General product parameters:

|  |                      |  |   |
|--|----------------------|--|---|
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | 5                    | Energy efficiency class  | F   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 500 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 700   |
| On-mode power ( $P_{on}$ ), expressed in W   | 4,5                  | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | -   |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -                    | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 80  |
| Outer dimensions without separate control gear, light-   | Height               | 50   | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|  | Width                | 50   |   |
|  | Depth                | 18   |   |
|  |                      |  | See image in last page  |


|   |      |                                    |                |  |
|---|------|------------------------------------|----------------|--|
| ing control parts and non-lighting control parts, if any (millimetre) |      |                                    |                |  |
| Claim of equivalent power <sup>(a)</sup>                              | Yes  | If yes, equivalent power (W)       | 42             |  |
|   |      | Chromaticity coordinates (x and y) | 0,458<br>0,410 |  |
| <b>Parameters for LED and OLED light sources:</b>                     |      |                                    |                |  |
| R9 colour rendering index value                                       | 1    | Survival factor                    | 0,90           |  |
| the lumen maintenance factor  | 0,96 |                                    |                |  |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 31/03/2023



**EPREL registration number:** 1396209

<https://eprel.ec.europa.eu/qr/1396209>

**Supplier:** Kingfisher International Products B.V. (Manufacturer) **Website:**

**Customer care service:**

**Name:** Marcus Muktarsingh

**Website:** [www.kingfisher.com](http://www.kingfisher.com)

**Email:** [Marcus.Muktarsingh@kingfisher.com](mailto:Marcus.Muktarsingh@kingfisher.com)

**Phone:** +44 7774 016346

**Address:**

Rapenburgerstaat 175E  
1011VM Amsterdam  
Netherlands