SAFETY DATA SHEET

Stormdry Masonry Protection Cream

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Stormdry Masonry Protection Cream

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Water repellent

EuPCS

PC-CON-5 / Construction chemicals

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Safeguard Europe Ltd.
Redkiln Close
Horsham
RH13 5QL West Sussex
United Kingdom
T: +44 (0)1403 210204
F: +44 (0)1403 217529
www.safeguardeurope.com

E-mail

info@safeguardeurope.com

Revision

22/07/2024

SDS Version

4.0

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)
General public:
England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 112 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210, Safety data sheet available on request.
The product contains a biocidal product.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CAS No.: 246538-78-3 EC No.: 920-901-0 UK-REACH: Index No.:	25-40%	EUH066 Asp. Tox. 1, H304	
Triethoxyoctylsilane	CAS No.: 2943-75-1 EC No.: 220-941-2 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.
Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol;ethyl alcohol
Long term exposure limit (8 hours) (ppm): 1000
Long term exposure limit (8 hours) (mg/m³): 1920

Propane-1,2-diol
Long term exposure limit (8 hours) (ppm): 150(total)
Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

ethanol;ethyl alcohol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	206 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	343 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	114 mg/m³
Long term – Systemic effects - Workers	Inhalation	380 mg/m³
Short term – Local effects - General population	Inhalation	950 mg/m³
Short term – Local effects - Workers	Inhalation	1900 mg/m³
Long term – Systemic effects - General population	Oral	87 mg/kg bw/day

Propane-1,2-diol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	10 mg/m³
Long term – Local effects - Workers	Inhalation	10 mg/m³
Long term – Systemic effects - General population	Inhalation	50 mg/m³
Long term – Systemic effects - Workers	Inhalation	168 mg/m³

Triethoxyoctylsilane

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	4.3 mg/m³
Long term – Systemic effects - Workers	Inhalation	17.6 mg/m³
Long term – Systemic effects - General population	Oral	1.25 mg/kg bw/day

PNEC

ethanol;ethyl alcohol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		960 µg/L
Freshwater sediment		3.6 mg/kg
Intermittent release (freshwater)		2.75 mg/L
Marine water		790 µg/L
Marine water sediment		2.9 mg/kg
Predators		380-720 mg/kg

Sewage treatment plant	580 mg/L
Soil	630 µg/kg

Propane-1,2-diol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		260 mg/L
Freshwater sediment		572 mg/kg
Intermittent release (freshwater)		183 mg/L
Marine water		26 mg/L
Marine water sediment		57.2 mg/kg
Sewage treatment plant		20 g/L
Soil		50 mg/kg

Triethoxyoctylsilane

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater sediment		1.9-19 mg/kg
Marine water sediment		190-1900 µg/kg
Predators		56 mg/kg
Soil		230-4470 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation.			

Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,2	> 480	EN374-2, EN374-3, EN388

Eye protection

Type	Standards
Safety glasses with side shields.	EN166

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Paste

Colour
White

Odour / Odour threshold
Characteristic

pH
Testing not relevant or not possible due to the nature of the product.

Density (g/cm^3)
0.86

Kinematic viscosity
Testing not relevant or not possible due to the nature of the product.

Dynamic viscosity
50000 mPa.s

Particle characteristics
Testing not relevant or not possible due to the nature of the product.

Phase changes

Melting point/Freezing point (°C)
Testing not relevant or not possible due to the nature of the product.

Softening point/range (°C)
No data available.

Boiling point (°C)
Testing not relevant or not possible due to the nature of the product.

Vapour pressure
Testing not relevant or not possible due to the nature of the product.

Relative vapour density
Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)
Testing not relevant or not possible due to the nature of the product.

Flammability (°C)
Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water
Testing not relevant or not possible due to the nature of the product.

n-octanol/water coefficient (LogKow)
Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Stable under normal conditions

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/kg

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>5000 mg/L

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Test method:	OECD 402
Species:	Rabbit
Route of exposure:	Dermal
Test:	LC50
Result:	>5000 mg/kg

Product/substance	Triethoxyoctylsilane
Test method:	OECD 401
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	5110 mg/kg

Product/substance	Triethoxyoctylsilane
Test method:	OECD 402
Species:	Rabbit, male
Route of exposure:	Dermal
Test:	LD50
Result:	6730 mg/kg

Product/substance	Triethoxyoctylsilane
Test method:	OECD 402
Species:	Rabbit, female
Route of exposure:	Dermal
Test:	LD50
Result:	8000 mg/kg

Product/substance	Triethoxyoctylsilane
Test method:	OECD 403
Species:	Rat, male/female
Route of exposure:	Inhalation
Test:	LC50 (4 hours)
Result:	>22 ppm

Product/substance	Propane-1,2-diol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>20000 mg/kg

Product/substance	Propane-1,2-diol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Propane-1,2-diol
Species:	Rabbit
Route of exposure:	Inhalation
Test:	LC50 (2 hours)
Result:	317.042 mg/L

Skin corrosion/irritation
Based on available data, the classification criteria are not met.

Serious eye damage/irritation
Based on available data, the classification criteria are not met.

Respiratory sensitisation
Based on available data, the classification criteria are not met.

Skin sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Carcinogenicity
Based on available data, the classification criteria are not met.

Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
Based on available data, the classification criteria are not met.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects
None known.

Endocrine disrupting properties
This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information
None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LL0
Result:	1000 mg/L

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EL0
Result:	1000 mg/L

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	NOELR
Result:	1000 mg/L

Product/substance	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	EL0
Result:	1000 mg/L

Product/substance	Triethoxyoctylsilane
Test method:	OECD 203
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	>0.055 mg/L

Product/substance	Triethoxyoctylsilane
Test method:	OECD 202
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>0.049 mg/L

Product/substance	Triethoxyoctylsilane
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	ErC50
Result:	>0.13 mg/L

Product/substance	Triethoxyoctylsilane
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	NOEC
Result:	>0.13 mg/L

Product/substance	Triethoxyoctylsilane
Test method:	OECD 209
Compartment:	Activated Sludge Plant
Duration:	3 hours
Test:	EC50
Result:	>1000 mg/L

Product/substance	Triethoxyoctylsilane
Species:	Fish, Pimephales promelas

Duration:	32 days
Test:	NOEC
Result:	>0.036 mg/L

Product/substance	Triethoxyoctylsilane
Species:	Daphnia, Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	>=0.199 mg/L

Product/substance	Propane-1,2-diol
Test method:	OECD 203
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	40613 mg/L

Product/substance	Propane-1,2-diol
Test method:	OECD 202
Species:	Daphnia, Ceriodaphnia dubia
Duration:	48 hours
Test:	LC50
Result:	18340 mg/L

Product/substance	Propane-1,2-diol
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	96 hours
Test:	ErC50
Result:	19000 mg/L

Product/substance	Propane-1,2-diol
Species:	Bacteria, Pseudomonas putida
Duration:	18 hours
Test:	NOEC
Result:	>20000 mg/L

Product/substance	Propane-1,2-diol
Species:	Daphnia, Ceriodaphnia dubia
Duration:	7 days
Test:	NOEC
Result:	13020 mg/L

12.2. Persistence and degradability

Product/substance	Triethoxyoctylsilane
Result:	31.5%
Conclusion:	-
Test:	OECD 301 D

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

08 04 15* Aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances

Specific labelling

Contaminated packing

EWC code

15 01 10* Packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

UK-REACH, Annex XVII

ethanol;ethyl alcohol is subject to UK-REACH restrictions (entry 40).

Additional information

Not applicable.

Sources

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.
H304, May be fatal if swallowed and enters airways.
H315, Causes skin irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

1011

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en