

# LEARNING TOWER ASSEMBLY INSTRUCTIONS



“Wish it. Imagine It. Create It.”

## CONTENTS

### LEARNING TOWER

Code	Component	Qty	PLEASE USE CORDLESS DRILL FOR EASY INSTALLATION.	Code	Component	Qty
1	Left Part - Right Part	2		7	Support Unit	1
2	Activity Side Unit	2				
3	Climbing Side Unit	1				

Code	Component	Qty	PLEASE USE CORDLESS DRILL FOR EASY INSTALLATION.	Mounting Screw	16+1 (Additional)	
4	Step (Single Anti-Slip Band)	1				
5	First Step Support Unit	1				
6	Platform (With a 3 Anti-Slip Band)	1				

## WARNINGS

- \* THERE IS A RISK OF CHOKING DUE TO SMALL PARTS (SCREW, ETC.).
- \* ASSEMBLY MUST BE MADE BY ADULTS. THE PRODUCT WILL BE ASSEMBLED WITH CORDLESS DRILL OR SCREWDRIVER.
- \* NEVER PLACE THE PRODUCT NEAR OPEN FIRES AND OTHER SOURCES OF INTENSE HEAT.
- \* NON-SLIP BANDED PLATFORMS WILL BE INSTALLED ON TOP.
- \* IT SHOULD BE USED FOR THEIR PURPOSE AND AVOID THE USE OF CHILDREN ONLY.
- \* THERE IS A RISK OF TIPPING. IT MUST BE USED UNDER PARENTAL SUPERVISION.
- \* THE PRODUCT SHOULDN'T CONTACT WITH WATER. SHOULD CLEAN WITH A WET CLOTH.

**\*IMPORTANT NOTE:** PLEASE HALF TIGHT THE SCREWS DURING THE ASSEMBLY. AFTER FINISHING THE ASSEMBLY FULLY TIGHT THE SCREWS.

**\* DO NOT** place this product near a window as it can be used as a ladder by the child and cause the child to fall out of the window.



SPAX-M

PZ 2



## ASSEMBLY STEPS

The side edges of the pieces 6 and 7 must be same-face with each other.

1

7

6

Anti-Slip Band

Choose from three adjustable levels according to your child's height.

2

Complete the assembly of all units montages.

3

Anti-Slip Band

Final View

4

5

Screws Points

**\*IMPORTANT NOTE:** FIRST, ATTACH THE ADJUSTABLE PLATE AND ITS REGISTRATION (PIECES 6 AND 7) IN THE ASSEMBLY STEP 1 TO THE NOTICE OF THE WANTED HEIGHT.

**\*IMPORTANT NOTE:** WHEN YOU WANT TO MAKE THE PLATFORM AND THE REGISTRATION (PARTS 6 AND 7) TO A DIFFERENT HEIGHT, FIRST REMOVE THE SIDE SCREWS. THEN, SLIDING THE BACK OF THE HEIGHT OF YOUR REQUESTED BY SLIDING IT FROM THE BACK. THEN SCREW IN ACCORDING TO THE SCREW HOLES ADJUSTED FOR THE NEW HEIGHT ON THE SIDE.