

DECOCORK Cork Insulating Paint



Product Overview

DECOCORK Cork Insulating Paint is a high-build, water-based interior coating formulated with natural cork granules. It is designed to help improve the thermal comfort of cold internal wall surfaces and support the reduction of surface condensation in residential and light commercial interiors.

Unlike standard decorative paints, DECOCORK creates a breathable cork layer on the wall surface, helping to gently raise surface temperature while allowing moisture vapour to pass through.

What DECOCORK Is Designed For

DECOCORK is suitable for use on:

- Cold internal walls
- Condensation-prone areas
- Solid wall properties and older buildings
- Bedrooms, living rooms, hallways and home offices
- Residential and light commercial interiors

It is particularly suited to situations where condensation regularly forms on internal walls during colder months.

How It Works

Cold internal wall surfaces can attract moisture from the air, leading to surface condensation. Over time, this can contribute to damp conditions and associated issues.

DECOCORK uses the natural insulating properties of cork to help improve surface warmth while remaining vapour-open. This combination supports moisture regulation at the wall surface and helps reduce condensation under normal living conditions.

Cork is a naturally stable and breathable material that has long been used in applications where moisture management is important.

Key Benefits

- Helps reduce cold-wall condensation
- Improves thermal comfort of internal wall surfaces
- Breathable, vapour-open finish
- Water-based and low odour
- Contains natural cork granules
- Suitable for DIY application
- Can be over-painted with breathable paints

Finish & Appearance

- Natural matt finish
- Light surface texture due to cork content
- Texture and appearance are part of the product's functional design

Important Information

- DECOCORK does not kill or remove existing mould
- Any visible mould should be cleaned and removed before application
- Performance depends on surface condition, correct application, ventilation and heating
- Not suitable for areas affected by rising damp, water ingress or structural moisture issues

Where Not to Use

- External surfaces
- Permanently damp walls
- Areas with active water penetration
- As a substitute for structural damp treatments

Using DECOCORK

DECOCORK is applied using a roller or brush and is typically built up in multiple coats to form an effective cork layer. For full application, preparation and care instructions, always refer to the **Product Instruction Manual** before use.

Good to Know

Best results are achieved when DECOCORK is used as part of a wider approach to managing condensation, including appropriate heating and ventilation practices.

Always read the instructions before use.



Manufacturer / Distributor (UK Responsible Party):

ECOPROCORK
Unit 3.11, Cannock Chase Enterprise Centre
Walkers Rise, Rugeley Road
Hednesford, Cannock
WS12 0QU
United Kingdom

Email: info@ecoprocork.com
Website: www.ecoprocork.com

