



Safety Data Sheet

Woodeedoo Wood Varnish

Revision Date: 02/09/2025

NON-HAZARDOUS PRODUCT

This product is **not classified as hazardous** according to Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of substances and mixtures (CLP), as retained in UK law.

Section 1: Identification of the Substance/Preparation and Company

- **Product name:** Woodeedoo Wood Varnish | Clear
- **Product type:** Transparent, water-based varnish (matt, satin, or gloss finish)
- **Intended use:** Protective coating for interior wood surfaces such as furniture, doors, windowsills, boxes, and decorative elements.

1.3 Details of the Supplier of the Safety Data Sheet

- **Company:** Search Box Ltd T/A Woodeedoo
- **Address:** Unit 16, Sherwood Network Centre, Ollerton, NG22 9FD, United Kingdom
- **Telephone:** +44 (0)333 002 0032
- **Email:** hello@woodeedoo.com

Emergency telephone: NHS 111 (UK) or local emergency medical services

Section 2: Hazards Identification

- **Classification:** Not classified as hazardous under CLP.
- **Health hazards:**
 - *Inhalation:* May cause mild irritation if applied without ventilation.
 - *Skin:* Prolonged contact may cause dryness.
 - *Eyes:* May cause temporary irritation.
 - *Ingestion:* Low toxicity; may cause stomach upset if swallowed.
- **Environmental hazards:** Not hazardous, but avoid uncontrolled release to waterways.

Section 3: Composition/Information on Ingredients

- **Type:** Water-based varnish formulation

- **Main components:**
 - Water (60–70%)
 - Acrylic/urethane dispersion (20–30%)
 - Additives/wax emulsions (<10%)
 - Preservatives (<1%)

No solvents, isocyanates, or harmful volatile organic compounds (VOCs).

Section 4: First Aid Measures

- **Inhalation:** Move to fresh air. Seek medical attention if symptoms persist.
 - **Skin contact:** Wash with soap and water. Apply moisturiser if irritation occurs.
 - **Eye contact:** Rinse cautiously with clean water for several minutes. Seek advice if irritation continues.
 - **Ingestion:** Rinse mouth. Do not induce vomiting. Get medical help if unwell.
-

Section 5: Firefighting Measures

- **Extinguishing media:** Water spray, foam, CO₂, or dry powder.
 - **Hazards from combustion:** Minimal; may release carbon oxides.
 - **Protective equipment:** Standard firefighting protection.
-

Section 6: Accidental Release Measures

- **Personal precautions:** Avoid slipping.
 - **Environmental precautions:** Do not discharge into drains or natural water sources.
 - **Clean-up methods:** Absorb with sand or absorbent material. Dispose according to Section 13.
-

Section 7: Handling and Storage

- **Handling:** Apply in ventilated areas. Avoid eye contact. Wash hands after use.
- **Storage:** Store sealed in original container at +5 °C to +25 °C. Protect from frost and direct sunlight.

- **Shelf life:** 12 months in unopened containers.
-

Section 8: Exposure Controls / Personal Protection

- **Exposure limits:** None.
 - **Precautions:**
 - Ensure ventilation during application.
 - Gloves recommended for extended handling.
 - Safety glasses if splashing possible.
-

Section 9: Physical and Chemical Properties

- **Appearance:** Milky liquid (dries clear in matt, satin, or gloss finish)
 - **Odour:** Low odour
 - **pH:** 7–9
 - **Density:** ~1.0 g/cm³
 - **Viscosity:** Medium, brushable
 - **Solubility:** Miscible in water
 - **Drying time:** Touch dry ~20 minutes
 - **Recoat time:** ~2 hours
 - **Full cure:** 3–5 days
-

Section 10: Stability and Reactivity

- **Stability:** Stable in normal use.
 - **Conditions to avoid:** Frost, overheating, direct sunlight.
 - **Materials to avoid:** Strong acids/oxidisers.
 - **Decomposition:** None under recommended use.
-

Section 11: Toxicological Information

- Water-based, non-toxic formulation.



Safety Data Sheet

Woodeedoo Wood Varnish

- No significant health risks when used as directed.
-

Section 12: Ecological Information

- Water-based and biodegradable.
 - Not hazardous to the environment.
 - Avoid uncontrolled release.
-

Section 13: Disposal Considerations

- Dispose of product/containers responsibly in accordance with local regulations.
 - Do not pour into drains.
 - Empty containers can be recycled once dried.
-

Section 14: Transport Information

- **UN number:** Not regulated
 - **Transport class:** Not hazardous
 - **Packing group:** None
-

Section 15: Regulatory Information

- Complies with UK REACH and EU CLP regulations.
 - Not hazardous.
 - Very low VOC content (<5 g/L).
-

Section 16: Other Information

- **Recommended use:** Interior wood – floors, furniture, stairs, windowsills, doors, boxes, decorative elements.
- **Application:** Apply thin coats with brush or roller along the grain. Minimum 2 coats, ideally 3.
- **Coverage:** 10–12 m²/L (first coat), 15–18 m²/L (further coats).



Safety Data Sheet

Woodeedoo Wood Varnish

- **Drying time:** 20 minutes; recoat after 2 hours.
- **Full cure:** 3–5 days.

This Safety Data Sheet is prepared in accordance with **UK Regulation (EC) No 1907/2006 (REACH)** and **Regulation (EC) No 1272/2008 (CLP)**, as retained in UK law.

NON-HAZARDOUS PRODUCT – Not classified as hazardous under CLP.

Disclaimer

The information given above is to the best of the Company's knowledge and belief, accurate and reliable. However no warranty guarantee or representation is made to its accuracy, reliability of completeness. It is the user's responsibility to satisfy him/herself as to the suitability of such information for their own particular use.