

# ForFar

## ForFar Water Fountain Instruction Manual



**MODEL: FF4090-SOLAR**

**HEIGHT: 81.00 CM**

**DEPTH: 40.00 CM**

**INCLUDE:LED LIGHTS PUMP**

**WIDTH: 30.00 CM**

**ITEM WEIGHT: 10KG**


Thank You for Purchasing FORFAR® Fountain



# ASSEMBLY INSTRUCTIONS

PICTURES ARE FOR REFERENCE ONLY AND MAYBE NOT THE ACTUAL PRODUCT.

## STEP 1



Please open the box from the front (CUT THE NYLON TIE FIRST) PULLING OUT THE TUBING/WATER PIPE AND INTERNAL LED WIRE(S)

## STEP 2



Please check the packing list contains the following 01:Fountain 02:Manual, 03:Pump, 04: Solar Panel Sets 05:Backplane

## STEP 3



Connect the host to the pump and placit in the fountain through the opening in the rear of the fountain.

## STEP 4



Connect the two ends of the LED lighting wires together and screw over the plastic collar.

## STEP 5



Connect the power cord to the back of the solar panel

## STEP 6



Make sure the solar panel is standing up and close the back panel. Fill with water and make sure the pump is completely submerged. Usually the water level needs to be atleast 2 inch above the pump.

**INSTALL VIDEO QR CODE+URL**  
<https://youtu.be/yvFvc0wD3lo>



# ELECTRICAL SAFETY

- Water pumps are waterproof to IPX8
- Light cords are waterproof to IPX6.
- The transformer should never be submerged or stood in water.
- **Note:** The transformer will get hot during use, which is normal.
- To prevent Pump damage, Please to add water promptly to avoid
- long time dry burning.
- For outdoor use, ensure the outlet is waterproof to IP66 standard.
- We recommend using a Residual Current Device (GFI) Ground Fault Interrupter when connecting the fountain to the electric supply (available from DIY stores).

## MAINTENANCE AND CARE

### Fountain Care Guidelines

- **Winter Care:** Bring Indoors if Possible (e.g., garage or shed)  
If freezing is a concern, drain all water to prevent damage.


### Fountain Cleaning Tips

To Empty the Fountain of Water for Cleaning or for Winter Care:

- For smaller fountains, invert and let water pour away for cleaning.
- For larger fountains, use a large sponge or siphon pipe for water removal.
- Always power off before cleaning or maintaining the fountain or pump.
- **Note:** Stains may be present, This does not imply the fountain is second-hand. The testing water may not dry before repacking, causing Stains upon opening the package.


# PRODUCT INSTALLATION OF

## 1. APPEARANCE SCHEMATIC DIAGRAM



A:solar panel B:water-proof wire  
C:lamp ring D:pump  
E:power on/off G:fixed handle

## 2 ASSEMBLY OF THE 1 A HOST DOCKING PORT



Step: 1. Arrow position alignment  
2. Tighten the waterproof cap.  
3. Installation is completed

## 3. LED LAMP RING INTERFACE INSTALLATION




A:tighten the waterproof cap  
B: to complete the lamp ring installation

## FLOOR NAIL AND SOLAR PANEL INSTALLATION (INSTAL: A--B--C)



A:The ground nail joint is tightly buttoned  
B: Floor nail clamp installation  
C:The fixed rod is inserted into the surface.

Adjust the Angle of the solar panel to face the sun



## PECIFICATION PARAMETERS

Model	Solar panel	Battery capacity	Flow	Lift of pump
ESL-P250	9V/3.5W	2000maH/7.4V	250LPH	80CM
ESL-P300	9V/4W	2000maH/7.4V	300LPH	100CM
ESL-P350	9V/5W	2000maH/7.4V	350LPH	140CM
ESL-P450	9V/8W	3000maH/7.4V	450LPH	190CM

# How to Troubleshoot

## PUMP

- Ensure water covers the pump by at least 5 cm.
- Check and set the correct flow for the fountain.
- Ensure the pump is working; if not, it may be blocked.
- Clear pipes and impeller of any blockages.
- Inspect the fuse in the plug.

## Lights/Transformers

- If lights and pump aren't working, the transformer may have failed.
- If the LED isn't working, may be the LED wire contact is poor, you can reconnect it.
- If some LED lights aren't working, they might be damaged by water immersion. Contact us for spare parts replacement.
- Within warranty and non-artificial damage, a replacement part can be issued with proof of purchase.

## Troubleshooting

- For pump or light issues, contact us for guaranteed support.
- Flickering lights may result from algae or lime scale build-up;
- Replaceable parts are available.

## Leaks/loss of Water

- **Ensure the fountain is completely level.**
- **Ensure the water reservoir is not overfilled; remove excess water if necessary.**
- **Natural evaporation and weather can affect water levels; top up as needed.**
- **If your fountain is leaking, it may be a sealing issue. Repair it manually using waterproofing material. Contact us for partial compensation.**

## Main Body & Paintwork

- **Do Not Confuse Limescale Residue with Fading Paint - This is Not a Fault and is in Most Cases the Fountain Needs Cleaning.**
- **Paint Peeling Will Occur if the Fountain Has Been Left Outside in the Frost and Will Not Be Covered by the Warranty.**
- **Parts Broken off the Main Body While in Use Are Usually Caused by Bad Weather Conditions and Not Covered by the Warranty.**

# WARRANTY & RETURN POLICY

## RETURN POLICY

- **Returns within one month of purchase date: Free return service provided by Forfar.**
- **Returns after one month: Buyer responsible for return shipping cost.**
- **Non-quality issue returns: Buyer responsible for half of the shipping costs.**
- **Purchase within one month, if you find a lower price, you don't need to return it and can contact the us to get reimbursed for the difference.**
- **Please return the product via the Amazon label or the label provided by the seller.**

## WARRANTY TERMS

- **30-Day Free Return policy. 1-Year warranty for non-artificial damage.**

## NOT COVERED UNDER WARRANTY

- **Pump smells of burning residue.**
- **Discoloration resembling rust.**
- **Visible algae or limescale buildup on the pump.**
- **Paint And/or Surface Damage/discoloration Due to Limescale.**
- **If any of the above is noticeable, the warranty will void due to likely improper maintenance.**

If the Proof of Purchase Shows the Product Was Bought within 1 Year, Free Charge Replacement Part Can Be Supplied.  
Please Be Aware, ForFar Will Ask for Proof of Purchase.

Contact ForFar by Email ( [emily@forfar-group.com](mailto:emily@forfar-group.com) )

## HOW TO GET 2 YEAR WARRANTY

- **All fountains come with a one-year warranty by default.**

If You Write Down Your Experience on the Website within 21 Days when Receiving the Fountain, You Will Get 1-year Warranty Extension According to Your Review Date. If You Need to Report an Issue, Please Contact Our Hotline Direct Before Returning Product to Store.

**We Will Solve Your Problem As Soon As Possible.**

Email : [emily@forfar-group.com](mailto:emily@forfar-group.com)

Service time: ALL DAY

Hotline: 582 ) 852 0000

Service time: EST: AM 6:00 - AM 10:00

Service time: EST: PM 8:00 - PM 12:00

# **PROOF OF PURCHASE**

**If you purchased it on Amazon  
you can contact us by email and  
tell us the order number directly**

**CONTACT US WHEN YOU HAVE THE PROOF:  
[emily@forfar-group.com](mailto:emily@forfar-group.com)**

Your details

Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

Tel: \_\_\_\_\_

Email: \_\_\_\_\_


Order No. \_\_\_\_\_

Data of Purchase: \_\_\_\_\_

# QA

 **Q: How much water should I add to the outdoor fountain?**

**A:** There is a removable panel at the bottom of the back of the product; as long as water doesn't overflow from there, it's fine. But please note, ensure that the water exceeds the height of the water pump to ensure the fountain operates smoothly.

 **Q: Are the power cords for the water pump and lights completely waterproof? Can I place them inside the product?**

**A:** Yes. But make sure to tighten the waterproof knobs. If you're not sure, feel free to CONTACT US.

 **Q: If I need phone support, what should I do?**

**A:** Typically, we currently only provide after-sales support through email. If you truly need phone or video assistance, you can contact us via email to schedule a time, and we can arrange this service for you.

