# let's Colour WEATHERSHIELD





# Show your home some love

There's never been a better time to give the exterior of your home the attention it deserves. Because when you take care of the outside. it can then do its job properly by protecting the inside. To help you, we have all the tools and tricks needed to give the exterior of your property a new lease of life.

### INSIDE THE ISSUE:

Graceful greys take centre stage in our Colour Lookbook for exteriors

Transform your outside space with help from our **Spotlight on**... urban gardens

Take on a Weekend Project and give your front door a brand new look

Wondering how to get started? Ask Dr Dulux has all the answers

Unsure which Weathershield you need? 12 Our **Product Guide** will help

From Warm Truffle to Green Ivy, find your 14 perfect shade in our Colour Chart

### THE WEATHERSHIELD PROMISE

WEATHERSHIELD When you use Weathershield paint, you can relax knowing **PROMISE** you're covered by our unique promise: if your walls peel, flake or there is mould growth within the paint film while you live in your home, we'll return the value of a replacement product. Simply register on our website with your receipt and before and after photos within six months of purchase. See weathershieldpromise.dulux.co.uk for full T&Cs.



### OUR EXPERTS



Meet Marianne Shillingford, our Creative Director and colour guru who will help you pick the perfect palette.



Keep an eye out for Matt Gray, our Skills Development Consultant and resident go-to guy for all things DIY.

### PRODUCT KEY

We'll let you know which paint we've used throughout the magazine, so it's simple for you to shop in store or buy online.

### ON THE COVER









PROTECTION SMOOTH MASONRY PAINT; DULUX WEATHERSHIELD **OUICK DRY EXTERIOR SATIN** 

### **DULUX ONLINE**

Want more decorating inspiration? Visit duluxweathershield.co.uk or take a look at our social channels for more ideas and advice.



Share your

decorating

questions with

## ASK DR DULUX YOUTUBE

Take a snap for Instagram and inspire others to do the same #feelgood

our resident experts

#askdrdulux



Follow our handy Share your how-to videos and go behind the scenes at youtube.com/ duluxuk

## SOCIAL

results on our social channels @duluxuk

### CHOOSING YOUR PERFECT COLOUR



**→** EXPLORE OUR PAINT

⊥ Browse our colour chart on p14-15 or at dulux.co.uk

2 VISUALISE YOUR SHADES Imagine how hues will look at home with our free **Visualizer App** 


3 TRY BEFORE YOU BUY
Buy testers of your shortlisted shades in store or at dulux.co.uk

## Colour lookbook

Give your property's exterior a well-deserved update with shades of modern grey

lassic yet eye-catching, grey is an incredibly versatile colour for decorating. Yet up until recently, it's been confined to our interiors. However, in a myriad of hues, it's now making its way to the exteriors of houses, and there's a variety of ways you can use them. A dark, bold grey is ideal for making an impact on your home's character features, while a softer hue creates a more soothing finish. Try a calming scheme with **Garden Grey** painted on the front door and Pale Slate for the masonry. It adds a refreshing finish, and looks especially lovely when combined with lighter shades, such as **Jasmine** White on the window frames and lintels above.







Make a feature of the front focal colour on the upper lower level. The scheme's been taken a step further by using Monarch on the window frames and front door - it gives the house's



Create a striking look that oozes sophistication with a contrasting palette. Go for **Chic Shadow** on the front door, garage and window trims; it'll pop against masonry painted in creamy **Gardenia**. And finish with a strong colour as an accent on wooden beams - deep distinctive **Black** does the job beautifully.

### **DULUX WEATHERSHIELD ALL WEATHER PROTECTION** BENEFITS:











**WOODWORK THAT WOWS** 

by painting the outside in a two-tone palette. Here, midtone Concrete Grey is the floor, while Jasmine White keeps things neutral on the character.





Our gardens have proven themselves more precious than ever over the past 12 months. Here's how to transform yours into a calm oasis...

Whether you have a patch of patio, a dreamy deck or a tiny lawn, there's no reason not to turn your urban garden into a calming sanctuary. By choosing the right paint colour for the walls and adding some simple designs, you can turn your outdoors into a relaxing spot to unwind. Add some stylish accessories and plants and you're all set.



**EXPERT** KNOW-HOW Marianne Shillingford

"Grey is truly versatile and complements a really broad range of tones and spaces. Using Concrete Grey here gives the garden a sleek look, and by echoing the colour of the paving it makes the garden feel more spacious. Green accessories soften the finished look."

### WONDER WALLS

Refreshing brickwork is a quick way to brighten up your outside space, and it can be a simple job as long as you use the right tools and products. Always clean the wall first and treat areas of mould with Weathershield Multi-Surface Fungicidal Wash. Next, use **Dulux Weathershield All Weather Protection Smooth** Masonry Paint for a perfect long-lasting finish. It also protects against mould, algae and dirt and is shower resistant in only 30 minutes - just the thing for the great British weather! For an instant lift, try the chic urban feel of Concrete Grev. For a guide to painting masonry, turn to page 10.

"A feature circle can be achieved in a few easy steps"







**BE BOLD** 

Take your garden design a step further by adding a feature circle. Starting with a clean or freshly painted dry wall, cut a piece of string half the width of your desired circle. Pin it to the wall where you want the centre of your circle to be and attach a pencil to the other end. Hold the string taught and draw a circle. Then fill in with a contrasting colour such as Jasmine White. Job done.

### **GREEN FINGERS**

You don't necessarily need a lawn or flowerbeds to add a touch of nature to your outdoor space. An array of plants in pots and containers can instantly add interest and life to your urban space - just make sure you position plants in the right spot according to whether they prefer shade or sunshine to thrive. You could even plant some climbers which will grow up your painted masonry as a living wall.



HEAD TO PINTEREST TO DISCOVER MORE 'SPOTLIGHT ON' INSPIRATION @DULUXUK



# The weekend project

Create a warm, welcoming look by adding a flash of colour to your home's uPVC entrance

/ our front door plays a huge role in your property's appearance and kerb appeal after all, it's the very first thing visitors see when they arrive. More importantly, it's also the sight that instantly signifies that you're now home – a place that has never been so meaningful than over the last year - so it deserves to be a warm, welcoming vision. Luckily, it's also something that's easily refreshed in a weekend, even when your door is made from uPVC. All you need are the right products – such as **Dulux Primer for Difficult Surfaces** to prep your surface, followed by a top coat of **Dulux** Weathershield Quick Dry Exterior Satin – and in just a few hours your front door will look as good as new. Try the timeless tone of **Green Glade** for an instant character boost.

### YOU'LL NEED

- · Bucket and sponge
- Dust sheet
- Sandpaper
- Dusting brush
- Masking tape
- Primer and paint
- Stirring stick
- Paintbrush





**Dulux Primer for Difficult Surfaces; Dulux** Weathershield Quick Dry Exterior Satin

### THE WEEKEND STARTS HERE



1 Clean the door with soapy water to remove any dirt or grease. Dry the surface and place a dust sheet beneath the open door. Lightly sand your uPVC door surface to create a good key for your paint to adhere to.



2 Once you have finished sanding the door surface, use the dusting brush to remove any residual debris. This will ensure your primer only adheres to the door surface and gives you a clean, even finish.



3 Take the masking tape and carefully mask off the door handle and any other details not to be painted, such as the knocker and bell. Next, apply a coat of **Dulux Primer for Difficult Surfaces** and allow to dry.



Stir the **Dulux**Weathershield **Quick Dry Exterior** Satin thoroughly, then apply the first coat evenly using long, sweeping strokes. Allow your first coat to dry for at least four hours before applying a second.



## Ask Dr Dulux

We're here to help with all your decorating dilemmas



## "How can Lachieve the perfect finish on my exterior walls?"

### MARK, CHELMSFORD

Painting your home's masonry might seem daunting, but with the right preparation you can ensure your exterior looks pristine for years to come. Just follow these steps for a flawless result.



### WASH THE WALLS

First things first, you need to start with clean surfaces, so that means making sure your exterior walls are free from any dirt, debris or stains. Treat any patches of mould or algae with Weathershield Multisurface Fungicidal Wash. Then, remove any surface dirt and any loose or flaking paint by giving the whole surface a good wash down. Make sure you then rinse the wall with clean water to ensure a quality finish that lasts for years.



### REPAIR AND PRIME

Now you have a clean base, the next step is to repair any cracks or holes in the render so you get a perfect finish. Depending on what material your walls are made of, it may be necessary to start off with a coat of Weathershield Stabilising Primer. This is especially important for any shiny or porous surfaces so that your first coat of paint adheres properly to the walls.



You're now ready to paint. By using Weathershield Masonry Paints you're giving your walls protection from weather damage, as well as mould and algae growth. They're also made with anti-fade technology for long-lasting colour. Two coats are usually enough, but if you're painting over a strong shade, you might need a third. Then: stand back and admire your handiwork.



"How do I prep my exterior woodwork trim for painting?" BETH, EDINBURGH

Ensuring your trim is properly prepared for painting can make all the difference to your end result. It's also as simple as 1, 2, 3...

1 Prime new or bare wood with Weathershield Exterior Preservative Primer, which will protect your trim against staining fungi and wood rot. For previously painted doors, remove old and flaking paint and sand the surface thoroughly.

Apply up to two coats of ∠ Weathershield Exterior Quick Dry Undercoat for wood and metal - a durable formulation that flexes with the wood to resist cracking. Using it on metal? Apply a metal primer first to protect against rust.

3 Now you're ready to paint. Two coats of **Weathershield** High Gloss and Quick Dry Satin **Paint** for wood and metal both contain a mould-resistant additive to minimise staining, and will leave you with a weatherproof finish that resists cracking.

# **Product** picker

Choose the right product to protect your home with our handy guide



### **EXPERT** KNOW-HOW Matt Gray

"Using the right type of product is essential if you want a finish that will look good and really last. This handy guide will help you suss out which paints and primers you need for the job, so you'll be well on your way to a beautiful new Weathershield exterior."

| Dulux Weathershield for exterior walls |   |  |                   |                           |                           |   |
|--|---|--|-------------------|---------------------------|---------------------------|---|
| PRODUCT                                |   | WHAT DOES IT DO?   | COATS<br>REQUIRED | DRYING<br>TIME            | ALL WEATHER<br>PROTECTION | SUGGESTED<br>SURFACE  |
| PREP PRODUCTS                          |   | MULTI SURFACE FUNGICIDAL WASH<br>Make sure your walls get off to the best start<br>by cleaning them down with this fungicidal<br>wash first. It's perfect for new or previously<br>painted wood or masonry that has been<br>contaminated with mould. | Ţ                 | 24 hours<br>(rinse/scrub) | -                         | Wood,<br>masonry  |
|  | Door of the state | STABILISING PRIMER If you find your masonry surface is powdery or chalky after you've prepared it, this water-based primer will seal any unstable areas. Just brush or roller on and you'll be good to go. It's also suitable for interior walls.    | Ţ                 | 4 hours                   | -                         | Masonry   |
| TOP COATS                              | Dulux   | ULTIMATE WEATHER PROTECTION<br>SMOOTH MASONRY PAINT<br>This 2-in-1 paint has a built in primer and<br>provides superior quality coverage. Its Alkali<br>Guard Technology shields against damaging<br>alkali salts giving you a problem free finish.  |                   | 4 hours                   | PROTECTS FOR 15           | Masonry,<br>render,<br>concrete,<br>pebble-dash,<br>brickwork |
|  | Dulux I   | ALL WEATHER PROTECTION SMOOTH MASONRY PAINT Ideal for painting smooth textured surfaces this paint is shower-resisant in just 30 minutes! It also offers mould and algae protection and has anti-fade technology.                                    |                   | 4 hours                   | PROTECTS FOR 15           |   |
|  | Dulux'<br>EATHERSHIE  | ALL WEATHER PROTECTION TEXTURED MASONRY PAINT With unique Stay Clean technology, this paint protects against dirt and mould growth for long lasting colour and finish. Available in Smooth & Textured finish.  | 77                | 4 hours                   | PROTECTS FOR 15           |   |

### Dulux Weathershield for exterior wood, metal & multiple surfaces **DRYING** ALL WEATHER SUGGESTED **PRODUCT** WHAT DOES IT DO? REOUIRED TIME PROTECTION SURFACE **EXTERIOR PRESERVATIVE** PRIMER Dulux **(**(b) When you're painting new or bare wood, RODUCTS Wood it's a good idea to apply this water-based 24 hours primer first to seal and preserve against water damage, decay and blue stain fungi. EXTERIOR QUICK DRY UNDERCOAT Use this water-based undercoat over previously Wood primed or painted wood and metal before painting. It's touch dry in two hours and offers metal 10 years guaranteed protection when used 2-4 hours with Weathershield Exterior Gloss or Satin. **EXTERIOR HIGH GLOSS** Once your undercoat is dry, brush on two Wood, metal coats of this paint to exterior wood or metal (reguires for a beautiful high gloss finish. The undercoat) weatherproof paint film is even mould 16 hours resistant and flexible to prevent cracking! EXTERIOR ONE COAT GLOSS If you're in a hurry to get the job done, just Wood, metal one coat of this gloss paint gives you long (requires lasting protection against mould and undercoat) cracking as well as a fantastic finish. Apply 4 hours over the undercoat and you're done. EXTERIOR QUICK DRY SATIN When you need a mid-sheen paint for Wood, metal exterior wood or metal that dries quickly yet (requires still offers protection against the weather, undercoat) 6 hours mould, staining and cracking, this satin paint is perfect for the job at hand. MULTISURFACE QUICK DRY SATIN A versitile mid-sheen paint that you can use Wood. on wood, metal or uPVC (no primer required) metal, uPVC It is touch dry in just one hour. Ideal if you 4 hours have different exterior surfaces to decorate.

## **COLOUR CHART**

### Masonry





### Dulux Weathershield testers Pick up testers in store and apply on your exterior wall so you can see exactly how colour will look before you start painting.

### **Exterior Wood & Metal**



### Multisurface

Colours available in Dulux Weathershield Multisurface Quick Dry Satin





### DID YOU ENJOY THE ISSUE? FIND MORE ONLINE AT DULUXWEATHERSHIELD.CO.UK

We have produced paint colours as accurately as digital screens will allow. We cannot guarantee an exact colour match, and the colours contained in this guide should not be relied on as such. Please ensure that you use a colour tester on the actual surface to be painted before undertaking your decoration. This will give you a stronger indication of the appearance of the actual colour, which can be affected by the substrate and the texture of the surface. Please note that colour testers indicate the colour of the product only, and are not representative of the quality or sheen of the eventual product purchased. AkzoNobel, Dulux, the Dulux dog, the Dulux Weathershield Promise, the flourish logo, Weathershield and colour names market TM are trademarks of the AkzoNobel Group of companies. © AkzoNobel 2021. Health Safety & the Environment: For all products refer to can for full information. Always read and follow instructions on the container. WeathershieldTM Multisurface Fungicidal Wash contains Benzalkonium Chloride. WeathershieldTM Exterior Preservative Primer contains IPBC and propiconazole. Use biocides safely. Always read the label and product information before use. For safety datasheets or for further advice you can contact the Customer Advice Centre 0333 222 27171 Weathershield, AkzoNobel, Wexham Road, Slough, SL2 5DS.



DB\_02689\_120719

